


# Blade LX

## BLD-LX-GRY

Sleek styling coupled with the latest banner stand technology makes the Blade LX lightweight, portable and very easy to use.



## features and benefits:






- Easy roller access via flip-top lid
- Removable self-locking graphic roller mechanism
- Quick change graphic slider
- Adjustable feet on base
- 3-piece bungee cord pole and premium top rail
- Comes with quality bag for storage and transportation
- Five year warranty against all manufacturer defects

## dimensions











Hardware	Graphic
<p><b>Pole height:</b> 85.5" / 2171.7mm (1.25" / 31.75mm slide into base)</p> <p><b>Base dimensions:</b> 35.25"(w) x 3"(h) x 8.625"(d) approx. 895.35mm(w) x 76.2mm(h) x 219mm(d) approx.</p> <p><b>Approximate weight:</b> (including carry bag) 9.45 lbs / 4.29 kg</p>	<p><b>Total Visible Area:</b> 33.5"(w) x 83.25(h) 850.9mm(w) x 2114.55mm(h)</p> <p><b>Graphic:</b> Add 3/4" (24mm) bleed to top and 12" (304.8mm) bleed to base of graphic to allow for roller mechanism</p> <p>Refer to related graphic templates for more information</p>
Shipping	
<p><b>Shipping dimensions:</b> 39"(l) x 12"(w) x 6"(h) 990.6mm(l) x 304.8mm(w) x 152.4mm(h)</p> <p><b>Approximate shipping weight</b> 13 lbs / 5.9 kg</p>	
<b>additional information:</b>	
<p><b>Graphic material:</b> 13 oz. smooth vinyl, 7 oz. cotton, 14 oz. anti-curl vinyl, 8 oz. oxford, 11 mil melanex</p> <p><b>Included in kit:</b> Base, top rail, roller mechanism, bungee pole &amp; carry bag</p>	<p><b>Bag dimensions:</b> 35.5"(l) x 10"(w) x 4"(h) 902mm(l) x 254mm(w) x 102mm(h)</p> <p>Lumina 2 is recommended as lighting source</p> <p>Optional lighting available</p>

We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.






### Adhesive Top Rail Attachment








### Grippa Top Rail Attachment



## Bottom Graphic Attachment - Cassette



## Banner Stand Assembly



## Retensioning

