# Vector Frame R-05

## VF-R-05

Vector Frame is a collection of modern extrusion-based fabric graphic banner displays. Vector Frame is easy to assemble and disassemble and provides your choice of single-sided or double-sided integrated fabric graphic murals.

## features and benefits

- 50mm silver extrusion frame
- Single or double-sided SEG dye-sublimated fabric graphics
- Easy assembly

- Comes packaged with one OCL wheeled molded case for transport and storage
- Lifetime hardware warranty against manufacturer defects

## dimensions

| Hardware | Graphic |
|---|---|
| **Assembled unit:**<br>118.125"w x 94.5"h x 19.7"d approx.<br>3000mm(w) x 2400mm(h) x 500.4mm(d) | **Graphic A:**<br>Total visual area: 118.125"w x 94.5"h<br>3000mm(w) x 2400mm(h)<br><br>Refer to related graphic templates for more information |
| **Shipping** | |
| **Shipping dimensions:**<br>One OCL case: 19"l x 19"w x 56"h<br>483mm(l) x 483mm(w) x 1422mm(h)<br><br>Approximate shipping weight: (entire kit)<br>60 lbs / 27.2 kg | |

## additional information

Graphic material:
Dye-sublimated fabric

Optional lighting available

| Code | # | Description |
|------|---|-------------|
| F7 | 8 | PHFC2-1200-2 1200MM(47.24") ) PHFC2 EXTRUSION W/ MITRE CUT AND LOCK HOLE |
| IB2 | 8 | END TO END LOCK CONNECTOR |
| CB9 | 4 | 90 DEGREE CB9 CORNER LOCK CONNECTOR |
| F2 | 4 | 1155MM[45 1/2"]PH EXTRUSION W/1 LOCK |
| A1 | 2 | PHFC2-600 [23.62"] STRAIGHT CUT BOTH ENDS & IB2 |
| SW-FOOT | 2 | 500MM FLAT FOOT FOR SMARTWALL FRAMES |



**LOCK CONNECTOR**

Slide LOCK CONNECTOR together with extrusion. Then tighten the CAMS to lock EXTRUSIONS together

**CORNER LOCK**

Slide CORNER LOCK together with extrusion. Then tighten the screws to lock the CORNER LOCKs together

NOTE: TURN EACH **CAM** A LITTLE BIT, AND THEN GO BACK AND TIGHTEN BOTH TO THE PROPER TENSION.

**LOCK CONNECTOR**

NOTE: TURN EACH **CAM** A LITTLE BIT, AND THEN GO BACK AND TIGHTEN BOTH TO THE PROPER TENSION.

**CORNER LOCK**

**LOCK CONNECTOR**

1- LOOSE THUMBSCREWS

2- SLIDE EXTRUSION INTO LN-100

3- GENTLY TIGHTEN SW-FOOT IN PLACE

SW-FOOT

| Code | # | Description |
|------|---|-------------|
| GRAPHIC | 1 | 94.49"H X 118.125" SINGLE SIDED DYESUB GRAPHIC (UNLINED) PRINTED ON OXFORD W/ FCE-2 ALL 4 SIDES |

**PHFC2**

**FCE-2**

FCE-2

Dyesub
Graphic
with FCE-2

GRAPHIC

**GRAPHIC**

PULL TABS

GRAPHIC

START POINT
ONE CORNER

PULL TABS

Install graphic by pressing into the
top and bottom channels of extrusion. To pull graphics
out of the channels use tabs on the front side

**LIGHT**

Light clip

Slide the light clip into the light. Then slide the
light at an angle and gently lower down.

# Vector Frame Backwall and Exhibit Kits



smartwall banner R 01



smartwall banner R 02



smartwall banner R 03



smartwall banner R 04



smartwall banner R 05



smartwall banner S 01



smartwall banner S 02



smartwall banner S 03



smartwall banner S 04



smartwall kit 01



smartwall kit 02



smartwall kit 03



smartwall kit 04



smartwall kit 05



smartwall kit 06



smartwall kit 07



smartwall kit 08