# Vibe Kit 01

#### VBK-1

Vibe<sup>™</sup> is a collection of cleverly-designed state-of-the-art 10' exhibit booths. Vibe combines light-weight aluminum structures with pillowcase dye-sublimated printed fabric graphics for a truly unique appearance and experience. Vibe is efficient, easy to assemble and disassemble and offers remarkable style options and choices.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

## features and benefits:

- State-of-the-art snap button 30mm aluminum lightweight tube structure
- High-quality dye-sublimated zipper pillowcase graphics
- Easy step-by-step instructions

#### dimensions:

Hardware	Graphic
Assembled unit: 117.5"w x 92"h x 27"d 2984.5mm(w) x 2336.8mm(h) x 1193.8mm(d)	Total visual area: Foreground: 111.8" w x 92" h 2839.72mm(w) x 2336.8mm(h) Background: 114" w x 91.5" h 2895.6mm(w) x 2324mm(h) Header: 47.836" w x 14.0375" h
Shipping	1215mm(w) x 9052.56mm(h)
Shipping dimensions - ships in 2 cases 2 OCL cases, each: 19"l x 19"w x 56"h 482.6mm(l) x 482.6mm(w) x 1422.4mm(h)	Please be sure to include a 2" bleed around the perimeter. Refer to related graphic templates for more information
Approximate shipping weight (entire kit): 120 lbs / 54.4 kgs	

- Kit includes two frames, one rigid graphic

two wheeled molded cases

manufacturer defects

- Lifetime hardware warranty against


accent, two fabric pillowcase graphics, and


## additional information:


Graphic materials: Dye-sublimated fabric & UV prints on 6mm sintra


Header can be upgraded to frosted plex
















#### Step 1: Assemble background frame

- Lay pieces out flat and assemble in numerical order as shown. Numbers will be on the back side of the tube.
- Assemble frame corners using TC-30-90 by pushing snap buttons. Connect middle of frame with WS-10-T5.
- Once frame is connected, attach LN114-S2 by screwing bolt with Allen key.




Step 2: Attach Graphic - Slide graphic over top of frame and zip closed along bottom.





Step 3: Assemble foreground frame

- Lay pieces out flat and assemble in numerical order as shown. Numbers will be on the back side of the tube.
- When frame is complete, stretch foreground graphic over the frame starting at the bottom. Pull tightly all the way up assuring
- holes in graphic align with knobs on frame and secure with zipper.
- Attach foreground frame to background frame at B13, B14 & B15



Step 4: Attach Header - Attach header to foreground frame where designated in diagram. Use tube clamp and header attachment detail below.





## **Check out these related products:**

